

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	12	"Wilf, Saar".in. and "Shaked, Shvat".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 17:58
S4	4449	(@ad<"20040109" or @rlad<"20040109") and 709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:04
S7	254	(@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and (detect\$4 or determin\$4) near2 (relay or relayed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:05
S8	232	(@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and (detect\$4 or determin\$4) near2 relay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:08
S9	19	(@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect\$4 or determin\$4) near2 relay).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:08
S10	44	(@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect\$4 or determin\$4) near5 relay).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:10
S14	36	(@ad<"20040109" or @rlad<"20040109") and ((detect\$4 or determin\$4 or discover\$4) near5 (use or using or utilization or utiliz\$4 or exploit\$4 or routed) near10 (relay adj device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:13
S16	3	(@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect\$4 or determin\$4 or discover\$4) near5 (relay adj device)).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:14
S19	56	(@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect\$4 or determin\$4 or discover\$4) near5 (use or using or utilization or utiliz\$4 or exploit\$4 or routed) near10 ((relay adj device) or ((relay or SOCKS or HTTP or open) adj proxy) or relay))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:21
S20	4	(@ad<"20040109" or @rlad<"20040109") and "709"/\$4.ccls. and ((detect\$4 or determin\$4 or discover\$4) near5 (use or	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2009/11/03 18:22

		using or utilization or utiliz\$4 or exploit\$4 or rout\$4) near10 ((relay adj device) or (open adj proxy)))	DERWENT; IBM_TDB			
S25	44	((@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4.ccls.) and ((open adj proxy) or ((traffic or device) adj relay)) near5 (use or using or rout\$4 or sending or send or through)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:45
S26	4	((@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4.ccls.) and ((detect\$4 or determin\$4 or discover\$4) near5 (use or using or utilization or utiliz\$4 or exploit\$4 or rout\$4) near10 ((relay adj device) or (open adj proxy)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:46
S27	302	((@ad<"20040109" or @rlad<"20040109") and (disallow\$4 or prohibit\$4 or ("not" adj allow\$4) or reject\$4 or block\$4) near8 ((open adj proxy) or ((relay or relayed) adj (traffic or device))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:49
S28	20	((@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4.ccls.) and (disallow\$4 or prohibit\$4 or ("not" adj allow\$4) or reject\$4 or block\$4) near8 ((open adj proxy) or ((relay or relayed) adj (traffic or device))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:49
S30	38	((@ad<"20040109" or @rlad<"20040109") and "726"/\$5.ccls. and ((open adj proxy) or (relay adj device)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/03 18:54
S32	584	((@ad<"20040109" or @rlad<"20040109") and ("709"/\$4.ccls. or "726"/\$4.ccls.) and (disallow\$4 or prohibit\$4 or ("not" adj allow\$4) or reject\$4 or block\$4 or detect\$4 or determin\$4 or drop\$4) near8 (((open or SOCKS) adj (proxy or prox\$4)) or ((relay or relayed or prox\$5) near2 (traffic or device or order or packet))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:48
S34	14	S32 and (originat\$4 or "from" or "sent by") near4 (common or "same" or identical or match\$4 or single or different or multiple) near3 (device or computer or location or address or host or requestor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 10:50
S35	18	S32 and (originat\$4 or "from" or "sent by" or (relat\$4 adj to)) near6 (common or "same" or identical or match\$4 or single or different or multiple) near3 (device or computer or source or location or address or host or requestor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:01
S38	3254	((@ad<"20040109" or @rlad<"20040109") and (disallow\$4 or prohibit\$4 or ("not" adj allow\$4) or reject\$4 or block\$4 or detect\$4 or determin\$4 or drop\$4) near8 (((open or SOCKS) adj (proxy or proxied or proxies)) or ((relay or relayed or proxy or proxied or proxies) near2 (traffic or device or order or packet))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:21
S39	33	S38 and (originat\$4 or "from" or "sent by" or (relat\$4 adj to)) near6 (common or "same" or identical or match\$4 or single	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2009/11/04 11:21

		or different or multiple) near3 (device or computer or source or location or address or host or requestor)	DERWENT; IBM_TDB			
S46	4	((@ad<"20050109" or @rlad<"20050109") and (((open or traffic or data or packet or order or SOCKS) adj (proxy or proxies)) or (relay adj device) or (relayed adj (traffic or data or packet or order))) near5 (detect\$4 or discover\$4 or uncover\$4 or determin\$4)) and ((prevent\$4 or lower\$4 or avoid\$4) near5 (spam or ((online or internet or www or web) near2 (scame or fraudulent or fraud))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:36
S47	681	((@ad<"20050109" or @rlad<"20050109") and (((open or traffic or data or packet or order or SOCKS) adj (proxy or proxies)) or (relay adj device) or (relayed adj (traffic or data or packet or order))) near5 (detect\$4 or discover\$4 or uncover\$4 or determin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:36
S48	158	S47 and (different or ("not" or "aren't" or "didn't") near5 ("same" or common or single))) near5 (origin or sender or source or device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 11:47
S51	8271	((@ad<"20040109" or @rlad<"20040109") and (detect\$4 or discover\$4 or prohibit\$4 or disallow\$4 or allow\$4 or drop\$4 or reject\$4 or determin\$5) near5 (potential or device or traffic or data or using or use or routed or routing) near5 (relay or "relay device" or proxy or "SOCKS proxy" or "HTTP proxy" or NAT or "network address translation"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 12:07
S55	18	((@ad<"20040109" or @rlad<"20040109") and (detect\$4 or discover\$4 or prohibit\$4 or disallow\$4 or allow\$4 or drop\$4 or reject\$4 or determin\$5) near5 (potential or device or traffic or data or using or use or routed or routing) near5 (relay or "relay device" or proxy or "SOCKS proxy" or "HTTP proxy" or NAT or "network address translation") same ((compar\$4 near5 (origin or originating or source or originate)) or ((TTL or (time adj to adj live)) adj value) or "x-forwarded-for"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 12:10
S56	43	Paypal.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 12:14
S57	3	Paypal.as. and (prox\$4 or relay\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 12:15
S59	50	(unlikely or ("isn't" or "not") adj (likely or probab\$4 or feasibl\$4)) or unprobab\$4 or unfeasibl\$4) with (relat\$4 or originat\$4 or tied or "from" or "sent by") with (single or	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2009/11/04 12:18

		common or "same" or "one") with (device or user or computer)	IBM_TDB			
S60	30	((@ad<"20040109" or @rlad<"20040109") and compar\$4 near5 TTL adj value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 12:23
S66	2	((@ad<"20040109" or @rlad<"20040109") and (HTTP adj (proxy or relay or gateway)) with ICMP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:30
S69	1	((@ad<"20050109" or @rlad<"20050109") and layer near8 (((("aren't" or "don't" or "not" or fail\$4) near5 (agree\$4 or match\$4 or coincid\$5)) or mismatch\$4 or disagree\$5) same (spoof\$4 or unauthroiz\$4 or proxied or relayed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:45
S70	14	((@ad<"20040109" or @rlad<"20040109") and ((http or ftp or icmp) with (TCP or IP) with (mismatch\$4 or ("not" near3 match\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 14:56
S71	82	((@ad<"20040109" or @rlad<"20040109") and ((http or ftp or icmp) with (TCP or IP) with (mismatch\$4 or ("not" near3 match\$4) or consisten\$5 or ((multiple or many or single) near3 (source or origin or send\$4))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:05
S72	37	((@ad<"20040109" or @rlad<"20040109") and ((HTTP adj layer) with (TCP adj layer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:08
S73	37	((@ad<"20040109" or @rlad<"20040109") and source near2 address near8 mismatch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:14
S79	2	((@ad<"20050109" or @rlad<"20050109") and "5708654".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 15:27
S82	2	((@ad<"20050109" or @rlad<"20050109") and x-mailer same proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 16:42
S84	215	((@ad<"20050109" or @rlad<"20050109") and ((x-mailer date or received) near2 (header)) with (proxy or relay\$2 or spoof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 16:44
S86	7	((@ad<"20050109" or @rlad<"20050109") and ((x-mailer or user-agent or ((date or received) near3 "822"))) near2 header) with (proxy or relay\$2 or spoof)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 16:46
S87	15	"Wilf, Saar".in. or "Shaked, Shvat".in.	US-PGPUB;	OR	ON	2009/11/04

			USPAT; EPO; JPO; DERWENT; IBM_TDB			16:48
S91	36	(@ad<"20040109" or @rlad<"20040109") and detect\$4 near5 (proxy or SOCKS relay or NAT or tap or "network tap") with (ping or "response time")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:22
S95	134	(@ad<"20040109" or @rlad<"20040109") and round adj trip near5 time near2 (gap or chang\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:53
S101	1	(@ad<"20040109" or @rlad<"20040109") and ((round adj trip) or RTT) near5 time near2 (gap or chang\$4 or variable or flux\$5) with (maliciou\$4 or attack or ddos or proxy or nat or relay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
S102	1	(@ad<"20040109" or @rlad<"20040109") and (detect\$4 or determin\$4 or alarm) with ((denial adj "of" adj service) or ddos or attack) with (rtt or (round adj trip adj time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 18:00
S103	10	(@ad<"20040109" or @rlad<"20040109") and ((rtt adj gap) or round adj trip near2 gap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 18:01
S107	82	(@ad<"20040109" or @rlad<"20040109") and (round adj trip adj time) near3 (high or spik\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 18:05
S118	98	(@ad<"20040109" or @rlad<"20040109") and "709"/\$5.ccls. and (detect\$4 near5 spoof\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 19:03
S119	7	(@ad<"20040109" or @rlad<"20040109") and "709"/\$5.ccls. and (detect\$4 near5 spoof\$3).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 19:03
S122	9	"NPX Technologies".as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 14:20
S123	1	"Wilf, Saar".in. and "Shaked, Shvat".in. and @pd>"20091101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/11 12:51
S124	657	(@ad<"20040109" or @rlad<"20040109") and 709/227.ccls. and @pd>"20091101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/11 12:51
S125	2	"NPX Technologies".as. and	US-PGPUB;	OR	ON	2011/07/11

		@pd>"20091101"	USPAT; EPO; JPO; DERWENT; IBM_TDB			12:52
S129	191	"709"/\$4.ccls. and (verify or verif\$4 or check\$4 or determin\$4) near3 (if or using or between or "via") near3 (relay or NAT or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/11 14:18
S134	110	"709"/\$4.ccls. and (detect\$4) near5 (present or presence or use or using or uses or utilization or utiliz\$4) near2 (relay or NAT or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/11 14:29
S135	39	"726"/\$4.ccls. and (detect\$4) near5 (present or presence or use or using or uses or utilization or utiliz\$4) near2 (relay or NAT or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/11 14:53
S136	75	"726"/\$4.ccls. and (verify or verif\$4 or check\$4 or determin\$4) near3 (if or using or between or "via") near3 (relay or NAT or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/11 14:53
S140	14	"709"/\$4.ccls. and (location or located or geographic\$4) with (deriv\$4 or indicat\$4 or extrapolat\$4) with (TTL or "time to live" or "time-to-live")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/07/21 14:11
S141	25	"709"/\$4.ccls. and (location or located or geographic\$4) with (deriv\$4 or indicat\$4 or extrapolat\$4 or determin\$4) with (TTL or "time to live" or "time-to-live")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/07/21 14:14
S143	0	"Wilf, Saar".in. and "Shaked, Shvat".in. and @pd>"20110721"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/03/06 16:43
S145	0	"NPX Technologies".as. and @pd>"20110721"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/03/06 16:43
S146	175	(@ad<"20040109" or @rlad<"20040109") and 709/227.ccls. and @pd>"20110721"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/03/06 16:43
S148	12	(@ad<"20040109" or @rlad<"20040109") and "709"/\$5.ccls. and (detect\$4 near5 spoof\$3) and @pd>"20110721"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/03/06 16:44
S149	86	"726"/\$4.ccls. and (verify or verif\$4 or check\$4 or determin\$4) near3 (if or using or between or "via") near3 (relay or NAT or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/03/06 16:44
S150	10	(@ad<"20040109" or @rlad<"20040109")	US-PGPUB;	OR	ON	2012/03/06

		and ((rtt adj gap) or round adj trip near2 gap)	USPAT; EPO; JPO; DERWENT; IBM_TDB			18:38
S151	20	((rtt adj gap) or round adj trip near2 gap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/03/06 18:38
S152	1152	(verify or verif\$4 or check\$4 or determin\$4) near3 ("if" or using or between or "via") near3 (relay or NAT or proxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2012/03/06 18:39

3/ 7/ 2012 11:52:22 AM  
C:\ Users\ jmacilwinen\ Documents\ EAST\ Workspaces\ 585517.wsp